

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	ofdm with msc with bsc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:34
L2	4	ofdm with msc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:35
L3	0	ofdm with bsc	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:34
L4	845	ofdm with (base site)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:35
L5	0	ofdm with ("base site")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:35
L6	831	ofdm with base	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:41
L7	344	(ofdm with base) and (@ad<"20010122" or @rlad<"20010122")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:41
L8	133	(ofdm with base with (station or site)) and (@ad<"20010122" or @rlad<"20010122")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 16:41
L12	66	(sub?carrier\$ or subcarrier\$ or ofdm) and ((base adj (station site center)) same (((mobile or subscriber) adj (unit or station))) same (hub or msc or bsc))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34

L13	21	L12 and @pd>"20040712"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L14	130	(ofdm and (("base station" or "base site" or bs or bsc) same ("mobile unit" or "subscriber unit" or "mobile terminal" or su or mt or mu))) and (@ad<"20010122" or @rlad<"20010122"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L15	35	L14 and @pd>"20040712"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L16	40	(ofdm and ((uplink or "reverse channel") same (sum\$3 add\$3 combin\$4))) and (@ad<"20010122" or @rlad<"20010122"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L17	7	L16 and @pd>"20040712"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L18	20	(ofdm and (soft adj hand\$5)) and (@ad<"20010122" or @rlad<"20010122"))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L19	3	L18 and @pd>"20040712"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L20	32	(msc with bsc) and ofdm	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L21	16	L20 and @pd>"20040712"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L22	39	("propagation delay" near5 buffer\$) same combin\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34

L23	5	L22 and @pd>"20040712"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:36
L24	37	((delay near2 buffer\$) same receiver) and ofdm) and (@ad<"20010122" or @riad<"20010122")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L25	0	L24 and @pd>"20040712"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:34
L26	67	13 15 17 19 21	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 21:36